

Reasoning in Epistemic Contexts

Yves Bouchard

Université de Sherbrooke

yves.bouchard@usherbrooke.ca

CONTEXT 17

Université Pierre et Marie Curie, Paris

June 23, 2017

Preliminaries

- In a manuscript note entitled “Towards a Science of Epistemology”, John McCarthy wrote:

Epistemology is about to leave philosophy and join the sciences as other disciplines have done in the past. Briefly, work on the artificial intelligence problem (i.e. the problem of making machines, specifically electronic computers, behave intelligently) will require a theory of how knowledge can be obtained by a system in interaction with its environment, what knowledge is (i.e. its mathematical structure), and what the limits of knowledge are. This is just the domain of epistemology. (McCarthy Papers, 1958-1962)

- My proposal should be understood as being part of an effort which consists in providing a general framework for representing knowledge and exploiting knowledge by inferential means.
- I will defend that epistemological contextualism does provide such a general framework, capable of expressing a plurality of concepts of knowledge.

Contextual Logic of McCarthy and Buvač

- The contextual logic of McCarthy and Buvač (CL_{MCB}) can be summarized as $FOL \cup \{\text{ist}(c, \phi)\}$, where $\text{ist}(c, \phi)$ is an operator meaning that the formula ϕ is true in context c .
- McCarthy's view on context as formal objects allows for operations on contexts, namely *entering* and *exiting* (or *lifting*) a context.
- About *entering* a context, McCarthy (1993) wrote:

Suppose we have the sentence $\text{ist}(c, p)$. We can then enter the context c and infer the sentence p . We can regard $\text{ist}(c, p)$ as analogous to $c \supset p$, and the operation of entering c as analogous to assuming c in a system of natural deduction as invented by Gentzen and described in many logic texts.

- When *exiting* a context with respect to a particular formula, the operator ist is used to indicate the context of origin. For instance, if a formula p can be asserted in a context c_1 , then the outer context c_0 includes the formula $\text{ist}(c_1, p)$.

Epistemological Perspective

- From an epistemological perspective, CL_{MCB} yields two significant conceptual gains:
 1. The contextual dependencies are formalized by means of an operator.
 2. This operator can act as an indexical term (Guha and McCarthy 2003).
- These aspects are perfectly in line with the core thesis of epistemological contextualism, which is based upon an indexical interpretation of the knowledge predicate (or knowledge operator).
- In a formalism like CL_{MCB} , it is possible to set explicitly the properties of each epistemic context, and to explore (by inferential means) the variety of intracontextual and intercontextual relations among epistemic contexts.

Indexical interpretation of K

- The ist operator can serve as a basis for an understanding of the knowledge operator (K -operator) interpreted indexically.
- In the proposed framework, and following the usual distinction from Kaplan, the indexical meaning of the K -operator will be:

Content means the epistemic standard (ε) that governs a context.

Character means the assertability of a formula in a given context (in accordance with a given ε).

- The indexical content of K is precisely given by ε . The invariable part of the meaning of K makes it a *success term*.
- In this perspective, the notion of epistemic context can be given priority and can be at the center the epistemological investigation.

Epistemic Context

- An epistemic context c is a context defined by an epistemic standard ε that specifies the introduction rule for the knowledge operator in c (while providing its indexical content).
- The complete specification of an epistemic context depends on a twofold characterization:
 1. A characterization of its *epistemic standard* ε , and
 2. A characterization of its *transfer rules* τ (if any), which are the rules that govern the relations with other epistemic contexts and that account for context shifts.
- In defining epistemic contexts by means of explicit epistemic standards, one not only gives the knowledge operator its various meanings, but one also describes a structure into which epistemic normativity is spelled out in different terms.

Epistemological Theory

- Such a conception allows for multiple configurations of epistemic contexts, which in turn can be captured by the idea that an epistemological theory is a *set of epistemic contexts*.
- For instance, consider an epistemological theory Θ defined by three epistemic contexts, say C_{log} , C_{emp} , C_{per} . Then, Θ would include three epistemic standards, ε_{log} , ε_{emp} , ε_{per} , and possibly some transfer rules, τ_{log} , τ_{emp} , τ_{per} .
- An epistemological theory is consequently defined by a specific set of epistemic contexts (or knowledge bases) that include among their axioms epistemic standards and transfer rules.
- Foundationalism, coherentism, reliabilism, and other options based on the JTB model, may be construed as exemplifying different epistemological structures designed to meet different epistemic demands.

Contextualism

- The contextualist thesis is fundamentally a hybrid thesis, incorporating a partial invariantism, inasmuch as it relies upon an indexical interpretation of the knowledge operator.
- Epistemological contextualism presents a major conceptual gain: it is a theory about the *normative function* of epistemic standards. In this respect, epistemological contextualism presents itself as a *general epistemological framework*.
- From the contextualist point of view, epistemic normativity is a normative function distributed and realized in a plurality of spaces whose dimensionalities are defined by different epistemic standards.

Requisites

- The proposed ND system satisfies a number of constraints:
 1. K is an operator.
 2. Epistemic standards are encapsulated in contexts.
 3. Relations between contexts are explicit in the system.
 4. The knowledge introduction rule does not allow for the construction of formulas of type $K_i K_j \Phi$.
- As with the *ist* operator, the K -operator must preserve the distinction between the *satisfaction* of an epistemic standard and the *standard* itself.

ND Rules


Reiteration (R)

$$\begin{array}{c|c} \vdots & \vdots \\ m & \Phi \\ \vdots & \vdots \\ \vdots & \vdots \\ n & \Phi \end{array} \quad \text{R, } m$$

Any hypothesis can be reiterated in the same context. This is a restricted form of the usual ND rule.

ND Rules

Knowledge reiteration (KR)



A hypothesis of type $K_i\Phi$ can be reiterated in a K-context i .

ND Rules

Knowledge elimination (KE)

$$\begin{array}{c|c|c} \vdots & i & \vdots \\ m & & K_i\Phi \\ \vdots & & \vdots \\ n & & \Phi \end{array} \quad \text{KE, } m$$

This conforms with the principle of factivity of knowledge.

ND Rules

Knowledge introduction (KI)

1	Φ_1	
⋮	⋮	
m	Φ_m	
⋮	⋮	
n	i	⋮
o		Ψ
$o + 1$	$K_i \Psi$	KI, $n-o$

provided Ψ is not prefixed by K_i .

This expresses the idea that the formula Ψ satisfies the epistemic standard which defines the K-context i . The rule prohibits the construction of formulas of type $K_i K_i \Psi$.

ND Rules

Negation of knowledge introduction (\neg KI)

1	Φ_1	
⋮	⋮	
m	Φ_m	
	<hr style="width: 100%;"/>	
⋮	⋮	
n	i	Ψ
		<hr style="width: 100%;"/>
⋮		⋮
o		Ω
⋮		⋮
p		$\neg\Omega$
$p + 1$	$\neg K_i \Psi$	\neg KI, $n-p$

In order to negate the knowledge of a formula Ψ in a K-context i , one has to provide a proof *ad absurdum* under the hypothesis Ψ .

ND Rules

Knowledge transfer (KT)

$$\begin{array}{c}
 \vdots \\
 m \\
 \vdots \\
 n \\
 o
 \end{array}
 \left|
 \begin{array}{c}
 \vdots \\
 K_i\Phi \\
 \vdots \\
 j \\
 \vdots \\
 K_j\Phi
 \end{array}
 \right|
 \begin{array}{c}
 \\
 \\
 \\
 \\
 \\
 \text{KT}_{i-j}, m
 \end{array}$$

A formula of type $K_i\Phi$ can be transferred in a K-context j , where $i \neq j$, by means of a transfer rule $i - j$ such that KT_{i-j} : if $K_i\Phi$ then $K_j\Phi$. The KT rule is a qualified reiteration rule through epistemic contexts, on the basis of a conditional epistemic qualification.

Remarks

- In this framework, the notion of context is a syntactic notion.
- The rule KE expresses the idea that the information encapsulated by the K-operator is available only within the associated epistemic context.
- The rule KI captures the idea that when the information from a context is viewed from another context, the information of the former context should be encapsulated so that what is made available to the latter context is a reference (index or pointer) to the contextual origin of the information.
- Transfer rules can be added as hypotheses (or axioms).
- The MCB rules *Enter* and *Exit* correspond respectively, in ND-CEL, to KR+KE and KI, and the *ist* operator is rendered by the indexical character of the K-operator (satisfaction of the assertability conditions).

Formulas of ND-CEL

- Here are some derivable formulas:
 1. $K(p \wedge q) \vdash Kp \wedge Kq$
 2. $Kp \wedge Kq \vdash K(p \wedge q)$
 3. $K(p \supset q) \vdash Kp \supset Kq$
 4. $K(p \equiv q) \vdash Kp \equiv Kq$
 5. $\{Kp, K(p \supset q)\} \vdash Kq$
 6. $K_1p \vdash K_2K_1p$
- In the literature, some of these formulas are litigious from an epistemological point of view, *closure* (5) and *introspection* (6) in particular, but they remain in line with contextualism.

Transfer Rules

- In addition to the epistemic standards, the transfer rules contribute significantly to specify an epistemological theory.
- For instance, consider the following ND-CEL systems w/r to transfer rules related to the main logical context:

Θ_1	Θ_2	Θ_3
$\tau = \emptyset$	$\tau = KT_{i-0}$	$\tau = KT_{0-i}$
$K_i p \not\vdash K_0 p$	$K_i p \vdash K_0 p$	$K_i p \not\vdash K_0 p$
$K_0 p \not\vdash K_i p$	$K_0 p \not\vdash K_i p$	$K_0 p \vdash K_i p$
$\not\vdash K_i p \supset K_0 p$	$\vdash K_i p \supset K_0 p$	$\not\vdash K_i p \supset K_0 p$
$\not\vdash K_0 p \supset K_i p$	$\not\vdash K_0 p \supset K_i p$	$\vdash K_0 p \supset K_i p$
$\{K_i p, K_0(p \supset q)\} \not\vdash K_i q$	$\{K_i p, K_0(p \supset q)\} \vdash K_i q$	$\{K_i p, K_0(p \supset q)\} \vdash K_i q$

KK-Thesis

- The first litigious formula is the KK-thesis. Its proof in ND-CEL is straightforward:

1	K_1p																		
2	<table style="border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding-right: 5px;">2</td> <td style="border-right: 1px solid black; padding-right: 5px;">1</td> <td style="padding-left: 5px;">K_1p</td> <td style="padding-left: 20px;">KR, 1</td> </tr> <tr> <td style="border-right: 1px solid black; padding-right: 5px;">3</td> <td style="border-right: 1px solid black; padding-right: 5px;"></td> <td style="padding-left: 5px;">p</td> <td style="padding-left: 20px;">KE, 2</td> </tr> <tr> <td style="border-right: 1px solid black; padding-right: 5px;">4</td> <td style="border-right: 1px solid black; padding-right: 5px;"></td> <td style="padding-left: 5px;">K_1p</td> <td style="padding-left: 20px;">KI, 2-3</td> </tr> <tr> <td style="border-right: 1px solid black; padding-right: 5px;">5</td> <td style="border-right: 1px solid black; padding-right: 5px;"></td> <td style="padding-left: 5px;">K_2K_1p</td> <td style="padding-left: 20px;">KI, 2-4</td> </tr> </table>	2	1	K_1p	KR, 1	3		p	KE, 2	4		K_1p	KI, 2-3	5		K_2K_1p	KI, 2-4		
2	1	K_1p	KR, 1																
3		p	KE, 2																
4		K_1p	KI, 2-3																
5		K_2K_1p	KI, 2-4																
6	$K_1p \supset K_2K_1p$		\supset I, 1-5																

- This result is instructive about contextualism itself, because it shows the *character* of the indexical interpretation of knowledge, i.e., when one knows, one also knows *that some epistemic standard has been satisfied*.

KK-Thesis

- On the other hand, when knowledge is interpreted *univocally* the KK-thesis cannot hold in ND-CEL:

1	K_1p	
2	$1 \mid K_1p$	KR, 1
3	K_1K_1p	? (KI is not applicable)
4	$K_1p \supset K_1K_1p$	\supset I, 1–3

- Such an interpretation is typical of epistemological theories that rely on a concept of knowledge understood in representational terms (cognition).
- For instance, in the case of a perception, a univocal schema of the thesis implies a perceptual impossibility, as long as one cannot see herself seeing a table: $See_n^a(table) \supset See_n^a(See_n^a(table))$.

Epistemic Closure

- The second litigious formula is the closure principle. Again, its proof in ND-CEL is quite direct:

1	K_1p	
2	$K_1(p \supset q)$	
3	1 K_1p	KR, 1
4	p	KE, 3
5	$K_1(p \supset q)$	KR, 2
6	$p \supset q$	KE, 5
7	q	\supset E, 4, 6
8	K_1q	KI, 3-7

- The deduction is valid because the K-context remains constant throughout the deduction.

Epistemic Closure

- In the famous Zoo example, there is a context shift that requires a transfer rule, since Kp and $K(p \supset \neg q)$ cannot be both assertable in a perceptual context:

1	K_1p	
2	$K_2(p \supset \neg q)$	
3	1 K_1p	KR, 1
4	p	KE, 3
5	$K_1(p \supset \neg q)$? (requires KT_{2-1})
6	$p \supset \neg q$	KE, 5
7	$\neg q$	\supset E, 4, 6
8	$K_1\neg q$	KI, 3-7

- In order to have a valid conclusion, one needs an epistemological theory that allows for such a knowledge transfer.
- The closure principle, by itself, does not provide a transfer rule.

Conclusion

- CL_{MCB} can be used as a formal resource for analyzing knowledge under an indexical interpretation.
- CL_{MCB} offers a perspective on epistemic normativity that does not appeal to the notion of epistemic justification.
- Contextualism is a theory about the normative function of epistemic standards. In this respect, epistemological contextualism is a general *epistemological framework*.
- The problem of context shifting receives a direct solution insofar all contextual changes are regulated by transfer rules that proceed from the epistemic standards defining the contexts, in accordance to a given epistemological theory.

References

- Bouchard, Yves. 2014. Epistemic contexts and indexicality. In *Epistemology, Context, and Formalism*, edited by F. Lihoreau and M. Rebuschi. *Synthese Library*, volume 369. Cham: Springer International Publishing.
- Buvač, Saša. 1996. Resolving lexical ambiguity using a formal theory of context. In *Semantic Ambiguity and Underspecification*. Stanford: CSLI Publications.
- Buvač, Saša, Vanja Buvač and Ian A. Mason. 1994. The semantics of propositional contexts. In *Proceedings of the Eight International Symposium on Methodologies for Intelligent Systems*.
- Buvač, Saša, Vanja Buvač and Ian A. Mason. 1995. Metamathematics of contexts. *Fundamenta Informaticae* 23: 263-301.
- Buvač, Saša and Ian A. Mason. 1993. Propositional logic of context. In *Proceedings of the Eleventh National Conference on Artificial Intelligence*.
- McCarthy, John. 1981. Epistemological Problems of Artificial Intelligence. In *Readings in Artificial Intelligence*, edited by B. L. Webber, and N. J. Nilsson. Los Altos: Morgan Kaufmann.
- McCarthy, John. 1993. Notes on formalizing context. In *Proceedings of the 13th International Joint Conference on Artificial Intelligence*, edited by R. Bajcsy. Chambéry: Morgan Kaufmann.
- McCarthy, John. 1996. *A logical AI approach to context*. Stanford. Manuscript.
- McCarthy, John and Saša Buvač. 1997. Formalizing context (expanded notes). In *Computing Natural Language* edited by A. Aliseda, R. van Glabbeek and D. Westerståhl. Stanford: CSLI Publications.
- McCarthy, John, and Patrick J. Hayes. 1969. Some philosophical problems from the standpoint of artificial intelligence. In *Machine Intelligence 4*, edited by B. Meltzer, and D. Michie. Edinburgh: Edinburgh University Press.